

# DESCRIPTION

The RB521BS-30 is available in SOD-882 package


# FEATURES

- Extremely small surface mounting type. (SOD-882)
- Low V<sub>F</sub>
- High reliability.
- Available in SOD-882 package

#### **ORDERING INFORMATION**

# Package TypePart NumberSOD-882RB521BS-30NoteSPQ: 10,000pcs/ReelAiT provides all RoHS Compliant Products

### PIN DESCRIPTION



## APPLICATIONS

Low current rectification

## CONSTRUCTION

• Silicon epitaxial planar



# ABSOLUTE MAXIMUM RATINGS

V <sub>R</sub> , Reverse voltage (DC)	30V
Io, Average Rectified Forward Current	100mA
IFSM, Forward Current Surge Peak (60Hz · 1cyc)	500mA
T <sub>J</sub> , Junction Temperature	125°C
T <sub>STG</sub> , Storage Temperature	-40°C~+125°C

Stresses above may cause permanent damage to the device. These are stress ratings only and functional operation of the device at these or any other conditions beyond those indicated in the Electrical Characteristics are not implied. Exposure to absolute maximum rating conditions for extended periods may affect device reliability.

### **ELECTRICAL CHARACTERISTICS**

#### T<sub>A</sub>=25°C

Parameter	Symbol	Conditions	Min.	Тур.	Max.	Unit
Forward Voltage	VF	l⊧=200mA	-	-	0.5	V
Reverse Current	I <sub>R</sub>	V <sub>R</sub> =10V	-	-	30	μA



#### ELECTRICAL CHARACTERISTIC CURVES

#### Figure 1. VF-IF CHARACTERISTICS




Figure 3. VR-Ct CHARACTERISTICS






Figure 2. VR-IR CHARACTERISTICS







# PACKAGE INFORMATION

Dimension in SOD-882 (Unit: mm)









#### IMPORTANT NOTICE

AiT Semiconductor Inc. (AiT) reserves the right to make changes to any its product, specifications, to discontinue any integrated circuit product or service without notice, and advises its customers to obtain the latest version of relevant information to verify, before placing orders, that the information being relied on is current.

AiT Semiconductor Inc.'s integrated circuit products are not designed, intended, authorized, or warranted to be suitable for use in life support applications, devices or systems or other critical applications. Use of AiT products in such applications is understood to be fully at the risk of the customer. As used herein may involve potential risks of death, personal injury, or servere property, or environmental damage. In order to minimize risks associated with the customer's applications, the customer should provide adequate design and operating safeguards.

AiT Semiconductor Inc. assumes to no liability to customer product design or application support. AiT warrants the performance of its products of the specifications applicable at the time of sale.